

L Number	Hits	Search Text	DB	Time stamp
1	1677	(print\$5 adj1 (mode or setting\$ or driver\$2)) same different	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:05
2	11	(print\$5 adj1 (setting\$ or mode) same different same (print\$5 adj1 driver\$2))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:45
3	17	(print\$5 adj1 (setting\$ or mode) same (different or plurality) with (print\$5 adj1 driver\$2))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:29
4	629	print\$5 adj1 drivers	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:30
5	280	print\$5 adj1 drivers same (print\$5 adj1 (mode or setting))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:31
6	19	print\$5 adj1 drivers same (print\$5 adj1 (mode or setting)) same (combin\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:32
7	11	(print\$5 adj1 drivers same (print\$5 adj1 (mode or setting)) same (combin\$5)) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:31
9	495	"printer drivers"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:32
10	1	(print\$ adj1 (setting\$2 or mode\$3)) same (combin\$5) same "printer drivers"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:34
11	30	(print\$ adj1 (setting\$2 or mode\$3)) same "printer drivers"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:34
12	15	((print\$ adj1 (setting\$2 or mode\$3)) same "printer drivers") and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:34
27	38	(different with (printer\$5 adj1 drivers))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 15:40
28	28	((different with (printer\$5 adj1 drivers))) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 15:40
-	3	((("6,441,924") or ("6,574,002"))).PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 16:03
-	6	("4666801" "5369419" "5572632" "5828461" "5839117" "5862322").PN.	USPAT	2003/09/22 16:05
-	2	("6149323").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 16:23
-	1	6149323.URPN.	USPAT	2003/09/22 16:35
-	1	6149323.URPN.	USPAT	2003/09/22 16:35
-	7	("5345548" "5623675" "5625757" "5666478" "5678000" "5872900" "5887990").PN.	USPAT	2003/09/22 16:36

-	3	(print\$5 adj1 sett\$5) same (combin\$5 or merg\$5 or join\$5) same list\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:21
-	25	((print\$5 adj1 sett\$5) same (combin\$5 or merg\$5 or join\$5)) same (control\$5 display\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:14
-	0	(print\$5 adj1 sett\$5) same (combin\$5 or merg\$5 or join\$5) same stamp	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:17
-	8	(print\$5 adj1 sett\$5) same (combin\$5 or merg\$5 or join\$5) and stamp\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:17
-	81	(print\$5 adj1 sett\$5) same (combin\$5 or merg\$5 or join\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:19
-	57	((print\$5 adj1 sett\$5) same (combin\$5 or merg\$5 or join\$5)) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:19
-	2	(print\$5 adj1 sett\$5) same (stamp\$5 adj5 function\$5 or sett\$5))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:22
-	13	(print\$5 adj1 sett\$5) same (stamp\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:22
-	0	((print\$5 adj1 sett\$5) same (combin\$5 or merg\$5 or join\$5)) and stamp\$5 adj5 function) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:22
-	0	((((print\$5 adj1 sett\$5) same (combin\$5 or merg\$5 or join\$5)) and stamp\$5 adj5 function) and @ad<19990129) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:22
-	12	((print\$5 adj1 sett\$5) same (stamp\$5)) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:23
-	1799	printer\$5 same stamp\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:28
-	13	print\$5 adj1 driver same (printer\$5 same stamp\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:25
-	13	print\$5 adj1 driver same (printer\$5 same stamp\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:25
-	5	("5383129" "5579087" "5797067" "6064838" "6216113").PN.	USPAT	2003/09/22 17:25
-	237	printer\$5 same watermark\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:28
-	21	(printer\$5 same watermark\$5) same print\$5 adj1 driver\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:29
-	3	((printer\$5 same watermark\$5) same print\$5 adj1 driver\$5) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:34

-	10720	(print\$5 same stamp\$5) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:35
-	13	(print\$5 same stamp\$5 adj1 function) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:40
-	71	(print\$5 adj1 sett\$5) same (stamp\$5 or mark\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:40
-	63	((print\$5 adj1 sett\$5) same (stamp\$5 or mark\$5)) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:47
-	66	stamp\$5 adj1 sett\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:48
-	10720	print\$5 same stamp\$5 and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:49
-	12	print\$5 adj1 sett\$5 same stamp\$5 and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:50
-	137	print\$5 adj1 confidential	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 17:50
-	1071	canon.as. and stamp\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 17:15
-	969	(canon.as. and stamp\$6) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 17:16
-	19	((canon.as. and stamp\$6) and @ad<19990129) and (print\$5 adj1 (set\$6 or driver\$2))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 17:42
-	1	(print\$5 adj1 (sett\$5 or driv\$5)) same (stamp\$5 adj1 set\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 17:43
-	228	stamp\$5 adj1 document\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:45
-	52	stamp\$5 adj1 document\$5 same print\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:02
-	38	(stamp\$5 adj1 document\$5 same print\$5) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:32
-	30	(stamp\$5 adj1 set\$5) same print\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:33
-	22	((stamp\$5 adj1 set\$5) same print\$5) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:40
-	33	imprint\$5 same print\$5 adj1 (sett\$5 or driver\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:41

-	1	(stamp\$5 adj1 list) same print\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:48
-	444	(358/1.14, 382/1.12).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:53
-	44	(print\$5 adj1 prevent\$5) same (inhibit\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:51
-	15	stamp\$5 and ((358/1.14, 382/1.12).ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:51
-	386	((358/1.14, 382/1.12).ccls.) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:04
-	0	((358/1.14, 382/1.12).ccls.) and @ad<19990129) and (stamp\$5 adj6 function\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:00
-	13	((358/1.14, 382/1.12).ccls.) and @ad<19990129) and (stamp\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:04
-	83	((358/1.14, 382/1.12).ccls.) and @ad<19990129) and (inhibi\$5 or imprint\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:08
-	0	((358/1.14, 382/1.12).ccls.) and @ad<19990129) and (confidential\$3 adj5 sett\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:09
-	19	((358/1.14, 382/1.12).ccls.) and @ad<19990129) and (confidential\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:12
-	7	(print\$5 adj1 (set\$5 or driver\$5)) same (stamp\$5) same document\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:15
-	1	(stamp\$5 adj1 setting\$5) same (document\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:24
-	9	("5279453" "5497250" "5515153" "5659403" "5784680" "5815770" "5819152" "5921545" "5999646").PN.	USPAT	2003/09/24 11:18
-	436	add\$5 same stamp\$5 same document\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:41
-	109	add\$5 same stamp\$5 same document\$5 same print\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:27
-	79	(add\$5 same stamp\$5 same document\$5 same print\$5) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:03